



OFFSHORE CONTAINER FLEET


MINI OFFSHORE CONTAINER

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	AMD	Outside:	1,590	1,856	2,873	1,700	4,300	6,000
		Inside:	1,465	1,752	2,501			
	Feature: With shelf, capacity of 2,130 kg and 1,210mm height under shelf							
AME	Outside:	1,590	1,856	2,923	1,560	4,400	6,000	
	Inside:	1,465	1,752	2,501				
Feature: With shelf, capacity of 2,200 kg and 1,220mm height under shelf								
AMF	Outside:	1,590	1,856	2,723	1,420	4,580	6,000	
	Inside:	1,465	1,752	2,301				
Feature: With shelf, capacity of 2,290 kg and 1,120mm height under shelf								


10' OFFSHORE CONTAINER

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	KA	Outside:	2,991	2,438	2,661	2,520	7,480	10,000
		Inside:	2,864	2,328	2,230			
	KA A	Outside:	2,991	2,438	2,438	1,730	8,270	10,000
Inside:		2,864	2,328	2,230				
UKA	Outside:	2,991	2,438	2,591	2,100	7,990	10,000	
	Inside:	2,864	2,328	2,383				


20' OFFSHORE CONTAINER

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	D	Outside:	6,058	2,438	2,758	5,340/ 5,030	14,660/ 14,970	20,000
		Inside:	5,768	2,268	2,230			
	DB	Outside:	6,058	2,438	2,896	4,630	20,370	25,000
Inside:		5,866	2,304	2,563				


25' OPEN TOP CONTAINER

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	PH	Outside:	7,616/ 7,622	2,438	2,800/ 2,730	6,320	15,680	22,000
		Inside:	7,102		2,028			


10' HALF-HEIGHT BASKET

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	J	Outside:	2,991	2,438	1,345	2,340	7,660	10,000
		Inside:	2,771	2,202	951			
		Feature: With two (2) removable sides						
	JA	Outside:	2,991	2,438	1,291	2,000	8,000	10,000
		Inside:	2,771	2,202	951			
Feature: With one (1) removable side								
7086x	Outside:	2,991	2,438	1,368	1,550	9,270	10,820	
	Inside:	2,771	2,202	951				
	Feature: With one (1) swing door							


20' HALF-HEIGHT BASKET

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	GB	Outside:	6,058	2,438	1,578/ 1,438	3,700	16,300	20,000
		Inside:	5,680	2,118	1,220			
	UGB	Outside:	6,058	2,438	1,295	3,150	16,850	20,000
		Inside:	5,730	2,100	950			
Feature: With one (1) removable side								
Dimensions between padeyes (LxWxH): 5,370x1,770x760 mm								


6m³ OPEN CARGO BASKET

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	CBA	Outside:	2,606	1,99	1,415	1,440	3,560	5,000
		Inside:	2,440	1,824	1,230			


OPEN SHORT CARGO BASKET

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	CBL	Outside:	3,818/ 3,838	1,368	1,517/ 1513	1,460	6,040	7,500
		Inside:	3,650	1,200	1,200			


3.5 m CARGO BASKET, w-SIDE DOOR

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	CBT	Outside:	3,660	1,520	1,667	1,800	6,200	8,000
		Inside:	3,492	1,296	1,300			


OFFSHORE WASTE SKIP

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	UWB	Outside:	2,432	1,732	1,400	1,100	3,900	5,000
		Inside:	2,041	1,524	1,151			


7.3 m CARGO BASKET

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	PRA	Outside:	7,460	760	891	1,270/ 1,240	1,730/ 1,760	3000,000
		Inside:	7,294	594	600			


8.3 m CARGO BASKET

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	CBS	Outside:	8,288/ 8,260	1,190	1,221/ 1,206	2,400/ 2,730	5,600/ 7,270	8000/ 10000
		Inside:	8,100	1,022	900			


12.1 m CARGO BASKET

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	CBZ	Outside:	12,260	1,190	1,237	3,600/ 3,750	8,400/ 11,250	12,000/ 15,000
		Inside:	12,092	1,022	900			


14.1 m CARGO BASKET

	TYPE	L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)	
	CBQ	Outside:	14,260	1,190	1,237	4,200	10,800	15,000
		Inside:	14,092	1,022	900			

16.1 m CARGO BASKET

	TYPE		L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)
	CBX	Outside:	16,260	1,190	1,237	4,600/ 4,700	7,900/ 10,300	12,000/ 15,000
		Inside:	16,092	1,022	900			

18.1 m CARGO BASKET

	TYPE		L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)
	CBY	Outside:	18,260	1,190	1,237	4,920/ 5,100	7,580/ 9,900	12,000/ 15,000
		Inside:	18,092	1,022	900			

CARGO BASKET LIDS

	TYPE		L (mm)	W (mm)	H (mm)	TARE (kg)	PAYLOAD (kg)	MGW (kg)
	CBL							
	CBQ							
	CBS							
	CBX							
	CBY							
	CBZ							
	PRA							